




Warning

Do not install unit in draughty conditions where the air movement is greater than 0.2mtr/sec. e.g.near entrance/exit doors, open windows, under air conditioning units or a ceiling mounted fan Ambient room conditions must not drop below 16°C . Ticket strips must be in place on each shelf and the front tray must not be removed



Versigen Specification

Heated Display
Recirculated forced air system
LED Illumination
with internal adjustable shelving
ticket strips and front tray and
rear sliding double glazed doors

Capacity
0.20 m3

Dimensions
Width - 1158mm
Depth - 660mm
Height - 816mm
Weight - 87kg

Power Rating
2.5kw
complete with a 2m long cord set & 15amp plug

Materials
1.2mm 304 Grade St/ Steel Top & Supports
0.7mm 430 Grade St/ Steel Internal Structure
6mm Tempered Glass

Installation
Counter Top Flush Fit Cut Out Dimensions
1164mm x 666mm x 25mm
Counter Support Cut Out Dimensions
1140mm x 642mm

ALL SHEET METAL DIMENSIONS ARE I/S (INSIDE SIZES) (UNLESS OTHERWISE STATED)

ALL DIMENSIONS IN (mm), TOLERANCE = LINEAR ± 0.5mm, ANGULAR ± 0.5mm (OR AS STATED). ALL SHARP EDGES TO BE REMOVED FROM SHEET METAL PARTS

Product	GRAB & GO'S			Product No							
Description	D3GH										
Material/Finish	Thickness				Desp/Date						
Legacy P/N	Weight	87kg			Quote No.						
Client					SO Number	N/A		Drawn By	ABB		
Client Project					Approved By			Date	26/02/2019		
VERSIGEN AUSTRALIA PTY LTD, 182 HARTLEY ROAD, SMEATON GRANGE, NSW 2567, T: +61 (0)131 653 330, E: sales@versigen.com.au, Web: www.versigen.com.au							Scale	1:20	Sheet	1 / 2	A4

No reproduction or publication of this drawing may be made, and no article may be manufactured or assembled in accordance with this drawing without prior written consent. This prohibition is a term of any contract relating to this drawing. Rights reserved under the Copyright Act 1956 as amended by the Design Copyright Act 1968.

